

CCDC93 antibody

Product Information

Catalog No.:	FNab01372
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)

Background


Involved in copper-dependent ATP7A trafficking between the trans-Golgi network and vesicles in the cell periphery; the function is proposed to depend on its association within the CCC complex and cooperation with the WASH complex on early endosomes and is dependent on its interaction with FAM21C(PubMed:25355947).

Immunogen information


Immunogen:	coiled-coil domain containing 93
Synonyms:	Coiled-coil domain-containing protein 93 CCDC93
Observed MW:	73 kDa
Uniprot ID :	Q567U6

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC
Recommended dilution:	WB: 1:500-1:2000; IHC: 1:20-1:200
Image:	



Immunohistochemistry of paraffin-embedded human colon using FNab01372(CCDC93 antibody) at dilution of 1:100



Jurkat cells were subjected to SDS PAGE followed by western blot with FNab01372(CCDC93 antibody) at dilution of 1:500