

CRAT antibody

Product Information

Catalog No.: FNab01952

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months(Avoid repeated freeze / thaw cycles.)

Background

Carnitine acetylase is specific for short chain fatty acids. Carnitine acetylase seems to affect the flux through the pyruvate dehydrogenase complex. It may be involved as well in the transport of acetyl-CoA into mitochondria.

Immunogen information

Immunogen: carnitine acetyltransferase

Synonyms: Carnitine O-acetyltransferase (Carnitine acetylase)|Carnitine

acetyltransferase (CAT, CrAT)|CRAT|CAT1

Observed MW: 55-68 kDa Uniprot ID: P43155

Application


Reactivity: Human, Mouse

Tested Application: ELISA, WB, IP, IF


Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IF: 1:50-1:100

Image:






Immunofluorescence analysis of HeLa cells using CRAT antibody (FNab01952). Blue: DAPI for nuclear staining



IP Result of anti-CRAT (IP:FNab01952, 4ug; Detection: FNab01952 1:300) with mouse skeletal muscle tissue lysate 3000ug.



mouse heart tissue were subjected to SDS PAGE followed by western blot with FNab01952(CRAT antibody) at dilution of 1:1000