

F2 antibody

Product Information

Catalog No.:	FNab02920
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)

Background


Thrombin, which cleaves bonds after Arg and Lys, converts fibrinogen to fibrin and activates factors V, VII, VIII, XIII, and, in complex with thrombomodulin, protein C. Functions in blood homeostasis, inflammation and wound healing.

Immunogen information

Immunogen:	coagulation factor II(thrombin)
Synonyms:	Prothrombin Coagulation factor II Activation peptide fragment 1 Activation peptide fragment 2 Thrombin light chain Thrombin heavy chain F2
Observed MW:	72 kDa
Uniprot ID :	P00734

Application

Reactivity:	Human
Tested Application:	ELISA, WB
Recommended dilution:	WB: 1:500-1:2000
Image:	



human plasma tissue were subjected to SDS PAGE followed by western blot with FNab02920(F2 Antibody) at dilution of 1:3000