

IFT122 antibody

Product Information

Catalog No.:	FNab04153	
Size:	100µg	
Form:	liquid	
Purification:	Immunogen affinity purified	
Purity:	\geq 95% as determined by SDS-PAGE	
Host:	Rabbit	
Clonality:	polyclonal	
Clone ID:	None	
IsoType:	IgG	
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)	

Background

Required for cilia formation during neuronal patterning. Acts as a negative regulator of Shh signaling. Required to recruit TULP3 to primary cilia(By similarity).


Immunogen information

Immunogen:	intraflagellar transport 122 homolog(Chlamydomonas)
Synonyms:	Intraflagellar transport protein 122 homolog WD repeat-containing protein 10 WD repeat-containing protein 140 IFT122 SPG WDR10 WDR140
Observed MW:	130-140 kDa
Uniprot ID :	Q9HBG6


Application

Reactivity:	Human, Mouse	
Tested Application:	ELISA, WB, IHC	
Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200		
Image:		





Immunohistochemistry of paraffin-embedded human testis tissue slide using FNab04153(IFT122 Antibody) at dilution of 1:50



mouse testis tissue were subjected to SDS PAGE followed by western blot with FNab04153(IFT122 Antibody) at dilution of 1:300