

## LIN7C antibody

## **Product Information**

Catalog No.: FNab04790

Size: 100µg
Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months(Avoid repeated freeze / thaw cycles.)

## **Background**

Plays a role in establishing and maintaining the asymmetric distribution of channels and receptors at the plasma membrane of polarized cells. Forms membrane-associated multiprotein complexes that may regulate delivery and recycling of proteins to the correct membrane domains. The tripartite complex composed of LIN7(LIN7A, LIN7B or LIN7C), CASK and APBA1 may have the potential to couple synaptic vesicle exocytosis to cell adhesion in brain. Ensures the proper localization of GRIN2B(subunit 2B of the NMDA receptor) to neuronal postsynaptic density and may function in localizing synaptic vesicles at synapses where it is recruited by beta-catenin and cadherin. Required to localize Kir2 channels, GABA transporter(SLC6A12) and EGFR/ERBB1, ERBB2, ERBB3 and ERBB4 to the basolateral membrane of epithelial cells.

## **Immunogen information**

Immunogen: lin-7 homolog C(C. elegans)

Synonyms: Protein lin-7 homolog C (Lin-7C)|Mammalian lin-seven protein 3

(MALS-3)|Vertebrate lin-7 homolog 3 (Veli-3)|LIN7C|MALS3|VELI3

Observed MW: 25 kDa Uniprot ID: Q9NUP9

**Application** 


Reactivity: Human, Mouse, Rat



Tested Application: ELISA, WB

Recommended dilution: WB: 1:500-1:2000

Image:



human cerebellum tissue were subjected to SDS PAGE followed by western blot with FNab04790(LIN7C antibody) at dilution of 1:500