

NFAM1 antibody

Product Information

| | |
|---------------|--|
| Catalog No.: | FNab05689 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) |

Background

May function in immune system as a receptor which activates via the calcineurin/NFAT-signaling pathway the downstream cytokine gene promoters. Activates the transcription of IL-13 and TNF-alpha promoters. May be involved in the regulation of B-cell, but not T-cell, development. Overexpression activates downstream effectors without ligand binding or antibody cross-linking.


Immunogen information

| | |
|--------------|--|
| Immunogen: | NFAT activating protein with ITAM motif 1 |
| Synonyms: | NFAT activation molecule 1 Calcineurin/NFAT-activating ITAM-containing protein NFAT-activating protein with ITAM motif 1 NFAM1 CNAIP |
| Observed MW: | None |
| Uniprot ID : | Q8NET5 |

Application

| | |
|-----------------------|-----------------|
| Reactivity: | Human |
| Tested Application: | ELISA, IHC |
| Recommended dilution: | IHC: 1:20-1:200 |

Image:



Immunohistochemistry of paraffin-embedded
human tonsillitis tissue slide using
FNab05689(NFAM1 Antibody) at dilution of 1:50