

NR1I3 antibody

Product Information

Catalog No.:	FNab05837	
Size:	100µg	
Form:	liquid	
Purification:	Immunogen affinity purified	
Purity:	\geq 95% as determined by SDS-PAGE	
Host:	Rabbit	
Clonality:	polyclonal	
Clone ID:	None	
IsoType:	IgG	
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)	

Background

Binds and transactivates the retinoic acid response elements that control expression of the retinoic acid receptor beta 2 and alcohol dehydrogenase 3 genes. Transactivates both the phenobarbital responsive element module of the human CYP2B6 gene and the CYP3A4 xenobiotic response element.


Immunogen information

Immunogen:	nuclear receptor subfamily 1, group I, member 3
Synonyms:	Nuclear receptor subfamily 1 group I member 3 Constitutive activator of retinoid response (Constitutive active response) Constitutive androstane receptor (CAR) Orphan nuclear receptor MB67 NR1I3 CAR
Observed MW:	45 kDa
Uniprot ID :	Q14994

Application

Reactivity:	Human, Mouse, Rat			
Tested Application:	ELISA, WB			
Recommended dilution: WB: 1:500-1:2000				
Image:				





HeLa cells were subjected to SDS PAGE followed by western blot with FNab05837(NR1I3 antibody) at dilution of 1:300