

OAS2 antibody

Product Information

Catalog No.: FNab05950

Size: 100µg
Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months(Avoid repeated freeze / thaw cycles.)

Background

Interferon-induced, dsRNA-activated antiviral enzyme which plays a critical role in cellular innate antiviral response. In addition, it may also play a role in other cellular processes such as apoptosis, cell growth, differentiation and gene regulation. Synthesizes higher oligomers of 2'-5'-oligoadenylates(2-5A) from ATP which then bind to the inactive monomeric form of ribonuclease L(RNase L) leading to its dimerization and subsequent activation. Activation of RNase L leads to degradation of cellular as well as viral RNA, resulting in the inhibition of protein synthesis, thus terminating viral replication. Can mediate the antiviral effect via the classical RNase L-dependent pathway or an alternative antiviral pathway independent of RNase L.

Immunogen information

Immunogen: 2'-5'-oligoadenylate synthetase 2, 69/71kDa

Synonyms: 2'-5'-oligoadenylate synthase 2 ((2-5')oligo(A) synthase 2, 2-5A synthase

2)|p69 OAS / p71 OAS (p69OAS / p71OAS)|OAS2

Observed MW: 66-71 kDa Uniprot ID: P29728

Application


Reactivity: Human



Tested Application: ELISA, WB

Recommended dilution: WB: 1:500-1:2000

Image:



Jurkat cells were subjected to SDS PAGE followed by western blot with FNab05950(OAS2 antibody) at dilution of 1:500