

PJA1 antibody

Product Information

| | |
|---------------|--|
| Catalog No.: | FNab06477 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) |

Background


Has E2-dependent E3 ubiquitin-protein ligase activity. Ubiquitinates MAGED1 antigen leading to its subsequent degradation by proteasome(By similarity). May be involved in protein sorting.

Immunogen information


| | |
|--------------|--|
| Immunogen: | praja ring finger 1 |
| Synonyms: | E3 ubiquitin-protein ligase Praja-1 (Praja1) RING finger protein 70 RING-type E3 ubiquitin transferase Praja-1 PJA1 RN70 |
| Observed MW: | 71-80 kDa |
| Uniprot ID : | Q8NG27 |

Application

| | |
|-----------------------|------------------------------------|
| Reactivity: | Human, Mouse, Rat |
| Tested Application: | ELISA, WB, IP |
| Recommended dilution: | WB: 1:500-1:2000; IP: 1:200-1:2000 |
| Image: | |



IP Result of anti-PJA1 (IP:FNab06477, 3ug;
Detection:FNab06477 1:300) with mouse brain
tissue lysate 3600ug.



mouse brain tissue were subjected to SDS PAGE
followed by western blot with FNab06477(PJA1
antibody) at dilution of 1:200