

PSPC1 antibody

Product Information

Catalog No.:	FNab06901
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.)

Background


Regulates, cooperatively with NONO and SFPQ, androgen receptor-mediated gene transcription activity in Sertoli cell line(By similarity). Binds to poly(A), poly(G) and poly(U) RNA homopolymers. Regulates the circadian clock by repressing the transcriptional activator activity of the CLOCK-ARNTL/BMAL1 heterodimer(By similarity). Together with NONO, required for the formation of nuclear paraspeckles.

Immunogen information

Immunogen:	paraspeckle component 1
Synonyms:	Paraspeckle component 1 Paraspeckle protein 1 PSPC1 PSP1
Observed MW:	66 kDa
Uniprot ID :	Q8WXF1

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IHC: 1:20-1:200; IP: 1:20-1:200
Image:	



HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab06901(PSPC1 antibody) at dilution of 1:1000