

RRN3 antibody

Product Information

| Catalog No.: | FNab07497 |
|---------------|--|
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | \geq 95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) |

Background

Required for efficient transcription initiation by RNA polymerase I. Required for the formation of the competent preinitiation complex(PIC). Dissociates from pol I as a consequence of transcription. In vitro, cannot activate transcription in a subsequent transcription reaction(By similarity).


Immunogen information

| Immunogen: | RRN3 RNA polymerase I transcription factor homolog |
|--------------|--|
| Synonyms: | RNA polymerase I-specific transcription initiation factor RRN3 Transcription initiation factor IA (TIF-IA) RRN3 TIFIA |
| Observed MW: | 74 kDa |
| Uniprot ID : | Q9NYV6 |

Application

| Reactivity: | Human, Mouse |
|----------------------|------------------|
| Tested Application: | ELISA, WB |
| Recommended dilution | WB: 1:500-1:2000 |
| Image: | |





HeLa cells were subjected to SDS PAGE followed by western blot with FNab07497(RRN3 Antibody) at dilution of 1:600