

BAG4 antibody

Product Information

| Catalog No.: | FNab08106 | |
|---------------|--|--|
| Size: | 100µg | |
| Form: | liquid | |
| Purification: | Immunogen affinity purified | |
| Purity: | \geq 95% as determined by SDS-PAGE | |
| Host: | Rabbit | |
| Clonality: | polyclonal | |
| Clone ID: | None | |
| IsoType: | IgG | |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) | |

Background

None


Immunogen information

| Immunogen: | BCL2-associated athanogene 4 |
|--------------|--|
| Synonyms: | BAG family molecular chaperone regulator 4 (BAG-4) Bcl-2-associated athanogene 4 Silencer of death domains BAG4 SODD |
| Observed MW: | 60 kDa, 66-70 kDa |
| Uniprot ID : | O95429 |

Application

| Reactivity: | Human | | | |
|--|-----------|--|--|--|
| Tested Application: | ELISA, WB | | | |
| Recommended dilution: WB: 1:500-1:2000 | | | | |
| Image: | | | | |





K-562 cells were subjected to SDS PAGE followed by western blot with FNab08106(SODD/BAG4 antibody) at dilution of 1:1000