

SUFU antibody

Product Information

Catalog No.:	FNab08373
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background


The Hedgehog signaling pathway plays an important role in early human development. The pathway is a signaling cascade that plays a role in pattern formation and cellular proliferation during development. This gene encodes a negative regulator of the hedgehog signaling pathway. Defects in this gene are a cause of medulloblastoma. Alternative splicing results in multiple transcript variants.

Immunogen information


Immunogen:	suppressor of fused homolog (Drosophila)
Synonyms:	Suppressor of fused homolog (SUFUH) SUFU
Observed MW:	55 kDa
Uniprot ID :	Q9UMX1

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IF
Recommended dilution:	WB: 1:500 - 1:2000; IHC: 1:50 - 1:200; IF: 1:50 - 1:200
Image:	



Immunohistochemistry of paraffin-embedded human stomach using FNab08373(SUFU antibody) at dilution of 1:100



rat kidney were subjected to SDS PAGE followed by western blot with FNab08373(SUFU antibody) at dilution of 1:1000