

TACR3 antibody

Product Information

Catalog No.:	FNab08472
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background


This gene belongs to a family of genes that function as receptors for tachykinins. Receptor affinities are specified by variations in the 5'-end of the sequence. The receptors belonging to this family are characterized by interactions with G proteins and 7 hydrophobic transmembrane regions. This gene encodes the receptor for the tachykinin neurokinin 3, also referred to as neurokinin B.

Immunogen information


Immunogen:	tachykinin receptor 3
Synonyms:	Neuromedin-K receptor (NKR) NK-3 receptor (NK-3R) Neurokinin B receptor Tachykinin receptor 3 TACR3 NK3R TAC3R
Observed MW:	52 kDa
Uniprot ID :	P29371

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC
Recommended dilution:	WB: 1:500 - 1:2000; IHC: 1:50 - 1:200
Image:	



Immunohistochemistry of paraffin-embedded human stomach cancer using FNab08472(TACR3 antibody) at dilution of 1:100



HL60 cells were subjected to SDS PAGE followed by western blot with FNab08472(TACR3 antibody) at dilution of 1:1000