

## TFF2 antibody

### Product Information

|               |  |
|---------------|--|
| Catalog No.:  | FNab08629  |
| Size:         | 100µg  |
| Form:         | liquid   |
| Purification: | Immunogen affinity purified  |
| Purity:       | ≥95% as determined by SDS-PAGE   |
| Host:         | Rabbit   |
| Clonality:    | polyclonal   |
| Clone ID:     | None   |
| IsoType:      | IgG  |
| Storage:      | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) |

### Background


Inhibits gastrointestinal motility and gastric acid secretion. Could function as a structural component of gastric mucus, possibly by stabilizing glycoproteins in the mucus gel through interactions with carbohydrate side chains(By similarity).

### Immunogen information


|              |   |
|--------------|---|
| Immunogen:   | trefoil factor 2  |
| Synonyms:    | Trefoil factor 2 Spasmolysin Spasmolytic polypeptide (SP) TFF2 SML1 |
| Observed MW: | 18 kDa  |
| Uniprot ID : | Q03403  |

### Application

|                       |   |
|-----------------------|---|
| Reactivity:           | Human, Mouse  |
| Tested Application:   | ELISA, IHC, WB                                      |
| Recommended dilution: | WB: 1:200-1:1000; IP: 1:500-1:2000; IHC: 1:50-1:500 |
| Image:                |   |



Immunohistochemical of paraffin--embedded mouse liver using FNab08629(TFF2 antibody) at dilution of 1:100



human stomach tissue were subjected to SDS PAGE followed by western blot with FNab08629(TFF2 antibody) at dilution of 1:300