

SKIC3 antibody

Product Information

| | |
|---------------|--|
| Catalog No.: | FNab09084 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months(Avoid repeated freeze / thaw cycles.) |

Background


Component of the SKI complex which is thought to be involved in exosome-mediated RNA decay and associates with transcriptionally active genes in a manner dependent on PAF1 complex(PAF1C).

Immunogen information


| | |
|--------------|---|
| Immunogen: | tetratricopeptide repeat domain 37 |
| Synonyms: | Superkiller complex protein 3 (Ski3) Tetratricopeptide repeat protein 37 (TPR repeat protein 37) Tricho-hepatic-enteric syndrome protein (Thespin) SKIC3 KIAA0372 TTC37 |
| Observed MW: | 145 kDa |
| Uniprot ID : | Q6PGP7 |

Application


| | |
|-----------------------|---|
| Reactivity: | Human, Mouse |
| Tested Application: | ELISA, WB, IHC, IF, IP |
| Recommended dilution: | WB: 1:200-1:1000; IHC: 1:20-1:200; IF: 1:10-1:100; IP: 1:200-1:1000 |
| Image: | |



Immunohistochemistry of paraffin-embedded human tonsillitis tissue slide using FNab09084(TTC37 Antibody) at dilution of 1:50



IP Result of anti-TTC37 (IP:FNab09084, 4ug; Detection:FNab09084 1:300) with mouse testis tissue lysate 4000ug.



HeLa cells were subjected to SDS PAGE followed by western blot with FNab09084(TTC37 Antibody) at dilution of 1:300