


Recombinant Mouse IFNG

Catalogue No.:	P0150
Species:	Mouse
Uniprot ID:	P01580
Expression Region:	23-155
Host:	E.Coli
Tags:	N-terminal His Tag
Molecular Weight:	14 kDa under reducing conditions
Purity:	Greater than 95% as determined by SDS-PAGE.
Endotoxin:	< 0.01 EU/µg as determined by LAL test.
Activity:	Measured in an anti-viral assay using L-929 mouse fibroblast cells infected
Activity:	Measured in an anti-viral assay using L-929 mouse fibroblast cells infected with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1
Activity:	
Activity: Formulation:	with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1
-	with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1 ng/mL.
-	with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1 ng/mL. Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 150 mM NaCl
Formulation:	with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1 ng/mL. Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 150 mM NaCl with 5% trehalose, pH7.4.
Formulation:	 with encephalomyocarditis (EMC) virus. The ED50 for this effect is 0.4-1 ng/mL. Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 150 mM NaCl with 5% trehalose, pH7.4. Centrifuge the vial before opening, reconstitute in sterile distilled water to



Storage:The lyophilized protein is stable at -20 °C for up to 1 year. After
reconstitution, the protein solution is stable at -20 to -80 °C for 3 months
or 1 week at 2 to 8 °C under sterile conditions. For extended storage, it is
recommended to further dilute in working aliquots, avoid repeated
freeze/thaw cycle.

SDS-PAGE:



Safety Note: This product is intended for research and manufacturing uses only. It is not a diagnostic device. Product degradation will result from multiple freeze/thaw cycles. It is suggested that the antigen be stored in use size aliquots and thawed just prior to use. This material has been inactivated, however as with all biological materials, it should be handled as potentially infectious. The user assumes all responsibility for care, custody and control of the material, including its disposal, in accordance with all regulations.