

Recombinant Human BIRC3

| Catalogue No.: | P8086 |
|--------------------|--|
| Species: | Human |
| Uniprot ID: | Q13489 |
| Expression Region: | 303-557 |
| Host: | E.Coli |
| Tags: | N-terminal His-IF2DI Tag |
| Molecular Weight: | 49.9 kDa under reducing conditions |
| Purity: | Greater than 90% as determined by SDS-PAGE. |
| Formulation: | Lyophilized from a 0.2 μm filtered solution in 10 mM Hepes, 150 mM NaCl |
| | with 5% trehalose, pH7.4. |
| Reconstitution: | Centrifuge the vial before opening, reconstitute in sterile distilled water to |
| | a concentration of 0.1-1 mg/ml by gently pipetting 2-3 times, don't vortex. |
| Storage: | The lyophilized protein is stable at -20 °C for up to 1 year. After |
| | reconstitution, the protein solution is stable at -20 to -80 °C for 3 months |
| | or 1 week at 2 to 8 °C under sterile conditions. For extended storage, it is |
| | recommended to further dilute in working aliquots, avoid repeated |
| | freeze/thaw cycle. |



 Synonyms:
 AIP1, API2, Apoptosis inhibitor 2, BIRC3, C IAP2, CIAP2, HAIP1, hIAP 1,

 HIAP1, IAP 1, IAP 1, IAP homolog C, IAP1, MALT2, MIHC, RING finger protein 49,

 RNF49

 SDS-PAGE:

KDa 70 — 55 — 40 — 35 — 25 — 15 — 10 —

Safety Note: This product is intended for research and manufacturing uses only. It is not a diagnostic device. Product degradation will result from multiple freeze/thaw cycles. It is suggested that the antigen be stored in use size aliquots and thawed just prior to use. This material has been inactivated, however as with all biological materials, it should be handled as potentially infectious. The user assumes all responsibility for care, custody and control of the material, including its disposal, in accordance with all regulations.